

US009409969B2

(12) United States Patent

Schendel et al.

(10) Patent No.: US 9,409,969 B2 (45) Date of Patent: Aug. 9, 2016

(54) REPERTOIRE OF ALLO-RESTRICTED PEPTIDE-SPECIFIC T CELL RECEPTOR SEQUENCES AND USE THEREOF

(75) Inventors: **Dolores J. Schendel**, Munich (DE); **Susanne Wilde**, Munich (DE); **Bernhard Frankenberger**, Munich (DE); **Wolfgang Uckert**, Berlin (DE)

(73) Assignees: Helmholtz Zentrum München
Deutsches Forschungszentrum für
Gesundheit und Umwelt (GmbH),

Neuherberg (DE);

MAX-DELBRUECK-CENTRUM FUER MOLEKULARE MEDIZIN,

Berlin (DE)

(*) Notice: Subject to any disclaimer, the term of this

patent is extended or adjusted under 35

U.S.C. 154(b) by 419 days.

(21) Appl. No.: 13/148,653

(22) PCT Filed: Feb. 9, 2010

(86) PCT No.: **PCT/EP2010/051565**

§ 371 (c)(1),

(2), (4) Date: Nov. 28, 2011

(87) PCT Pub. No.: **WO2010/089412**

PCT Pub. Date: Aug. 12, 2010

(65) **Prior Publication Data**

US 2012/0128704 A1 May 24, 2012

Related U.S. Application Data

- (60) Provisional application No. 61/150,934, filed on Feb. 9, 2009.
- (51) **Int. Cl.** *C07H 21/04 C07K 14/705*(2006.01)

(58) Field of Classification Search

None

See application file for complete search history.

(56) References Cited

U.S. PATENT DOCUMENTS

4,703,004 A 10/1987 Hopp et al. 4,851,341 A 7/1989 Hopp et al. 5,906,936 A 5/1999 Eshhar et al.

FOREIGN PATENT DOCUMENTS

WO	WO-97/32603 A1	9/1997
WO	WO 97/32603 A1	9/1997
WO	WO-2007/065957 A2	6/2007
WO	WO 2007/065957 A2	6/2007

WO WO 2007/100568 A2 9/2007 WO WO-2008/039818 A2 4/2008 WO 2008/039818 A2 4/2008 OTHER PUBLICATIONS

Janeway et al., Immunobiology, 5th Ed., Garland Science, pp. 106-108 and 260-263, (2001).*

Garcia et al., Cell, vol. 122, 333-336, Aug. 12, 2005.* Portolano et al., J Immunol. Feb. 1, 1993;150(3):880-7.*

Portolano et al., J Immunol. Feb. 1, 1993;150(3):880-7.*
Dissertation of Elisa Kieback, Oct. 23, 2008, pp. 1-101.*

The Memorandum from Deputy Commissioner for Patent Examination Policy Andrew H. Hirshfeld, dated Mar. 4, 2014, 19 pages in total with first page not numbered.*

"Evaluating subject Matter Eligibility Under 35 U.S.C. $\$ 101," Mar. 19, 2014 update, pp. 1-93.*

Polic et al. (pnas, 8744-8749, Jul. 17, 2001, vol. 98, No. 15).*

Roszkowski, J., et al., "Simultaneous Generation of CD8+ and CD4+ Melanoma-Reactive T Cells by Retroviral-Mediated Transfer of a Single T-Cell Receptor," *Cancer Research*, vol. 65(4), pp. 1570-1576 (Feb. 15, 2005).

Savage, P., et al., "Use of B cell-bound HLA-A2 class I monomers to generate high-avidity, allo-restricted CTLs against the leukemia-associated protein Wilms tumor antigen," *Blood*, vol. 103(12), pp. 4613-4615 (Jun. 15, 2004).

Javorovic et al., "Inhibitory effect of RNA pool complexity on stimulatory capacity of RNA-pulsed dendritic cells," J Immunother. 31(1):52-62 (2008).

Morgan et al., "Cancer regression in patients after transfer of genetically engineered lymphocytes," Science 314(5796): 10 pages (2006). Morris et al., "Generation of tumor-specific T-cell therapies," Blood Rev. 20(2):61-9 (2006).

Roszkowski et al., "CD8-independent tumor cell recognition is a property of the T cell receptor and not the T cell," J Immunol. 170(5):2582-9 (2003).

Schumacher, "T-cell-receptor gene therapy," Nat Rev Immunol. 2(7):512-9 (2002).

Sommermeyer et al., "Designer T cells by T cell receptor replacement," Eur J Immunol. 36(11):3052-9 (2006).

Sørensen et al., "A survivin specific T-cell clone from a breast cancer patient display universal tumor cell lysis," Cancer Biol Ther. 7(12):1885-7 (2008).

Visseren et al., "Affinity, specificity and T-cell-receptor diversity of melanoma-specific CTL generated in vitro against a single tyrosinase epitope," Int J Cancer 72(6):1122-8 (1997).

Wölfl et al., "Quantitation of MHC tetramer-positive cells from whole blood: evaluation of a single-platform, six-parameter flow cytometric method," Cytometry A. 57(2):120-130 (2004).

* cited by examiner

Primary Examiner — Zachary Skelding

(74) Attorney, Agent, or Firm — Clark & Elbing LLP

(57) ABSTRACT

The present invention is directed to a kit-of-parts or composition containing nucleic acid sequences coding for highavidity, allo-restricted TCR, wherein the TCR are independently directed against the tyrosinase antigen, the melan-A antigen and the survivin antigen. The invention is further directed to a kit-of-parts or composition containing at least three groups of transgenic lymphocytes transformed with vectors coding for TCR against said antigens. Furthermore, the present invention provides a pharmaceutical composition and its use in the treatment of diseases involving malignant cells expressing said tumor-associated antigens. The invention further relates to a nucleic acid molecule coding for a TCR that recognizes the survivin antigen, a TCR encoded thereby and a T cell expressing said TCR. Further, the invention discloses a vector, a cell and a pharmaceutical composition encoding/containing same and their use in the treatment of diseases involving malignant cells expressing survivin.

13 Claims, 3 Drawing Sheets